



Product Description

A. WATER-BASED TOPCOATS

1. DEKRO ALLFLEX Interior Exterior

A high-build flexible non-textured wall coating which is ideal for the protection of both interior and exterior surfaces. Bridges hairline cracks, waterproofs, resists UV, anti-fungal, easy to clean, contains Lanco wax to minimise dirt retention.

2. DEKRO HYDROSILK (P.S.F.) Interior Exterior

A top quality 100% adhesion promoted pure acrylic emulsion designed to give maximum durability and colour retention internally and externally, with excellent UV and alkali resistant properties. Dries to a pleasant sheen finish.

3. DEKRO HYDROMATT Interior Exterior

A top quality 100% acrylic emulsion designed to give maximum durability and colour retention internally and externally, with excellent UV and alkali resistant properties. Dries to a matt finish.

**4. DEKRO MEDIGUARD (ANTI-BACTERIAL/FUNGICIDAL)
Interior Exterior**

A top quality pure acrylic water-based coating for the prevention of fungal and algae growth. Resistance to a wide variety of bacteria. Outstanding interior and exterior durability with excellent alkali resistance. Also has stain and scrub resistant properties. It is non-toxic and non-irritant if standard painting conditions and code of painting practise is adhered to.

5. DEKRO HYDROCID ANTI-FUNGAL ACRYLIC Interior Exterior

A top quality 100% acrylic emulsion containing a special non-toxic biocide designed to combat bacteria and mould growth. Hydrocide has excellent adhesion and alkali resistance and dries to a flexible, tough sheen finish.

6. DEKRO SUPER ACRYLIC Interior Exterior

A high quality washable matt acrylic which may be applied over a variety of well-prepared and primed substrates. Very good scrub and alkali resistance, suitable for interior and exterior use.



Product Description

7. DEKMORE ACRYLIC Interior Exterior

A good quality matt 100% pure acrylic designed for the decorator to give a high opacity coating with good alkali and scrub resistance.

8. DEKRO SUPER FIBRETEX WATERPROOF COATING Interior Exterior

A high quality acrylic textured coating designed to be applied to external walls with hairline cracks. Contains natural fibres which criss-cross in a net fashion to bridge unsightly cracks and to reinforce this highly flexible waterproof coating.

9. DEKRO SOLARDEK UV REFLECTING ROOF PAINT Interior Exterior

A top quality 100% pure acrylic roof paint containing solar reflective white pigments with a low sheen finish. Highly recommended for all surfaces where outstanding adhesion, alkali, water and weather resistance is required. Solar heat reflection reduces roof temperatures by up to $\pm 20\%$.

10. DEKRO ALLROOF PAINT Interior Exterior

A top quality 100% adhesion promoted pure acrylic roof paint which dries to a low sheen finish for roofs of galvanised iron, asbestos cement and cement roof tiles. Can be applied to damp surfaces. Highly recommended for above surfaces where outstanding adhesion, alkali resistance, water- and weather resistance is required.

11. DEKRO RIPPLETEX Interior Exterior

A flexible, heavy textured coating with excellent water resistance. Rippletex should be used where outstanding durability and waterproofing properties are required. It is designed to cover hairline cracks on old and crazed plaster.

12. DEKRO HYDROGLAZE (BRICK DRESSING) Interior Exterior

A water-based 100% pure acrylic brick dressing which enhances the natural Beauty of brick, slasto and cretestone. Dries to a clear silky gloss finish, has excellent adhesion properties and is a highly flexible coating.

13. DEKRO RAINPROOF Interior Exterior

Rainproof is a waterproofing paint if used as a liquid membrane. A water-based acrylic that can be applied to damp surfaces, which is non-toxic and non-irritant. Resistant to mould and fungus growth.



Product Description

14. DEKRO RAINPROOF WATERPROOFING PAINT SYSTEM

Interior Exterior

Rainproof can be used as a waterproofing system, if used in combination with a needle-punch polyester fabric. A water-based acrylic which is non-toxic and non-irritant. Resistant to mould and fungus growth.

15. DEKRO FLY REPELLENT Interior Exterior

A top quality pure acrylic water based insecticide coating with a satin Gloss – low sheen finish. Active against flies, stain, scrub and alkali resistant

B. WATER-BASED PRIMERS AND UNDERCOATS

16. DEKROSEAL PIGMENTED EMULSION SEALER Interior Exterior

An excellent general purpose sealer for chalky surfaces and porous brick surfaces prior to the application of high quality emulsion paint. Alkali resistance, high penetration and sealing properties make Dekroseal ideal for interior and exterior use.

17. DEKRO HYDROFIL Interior Exterior

A high opacity filler coat to be used as a primer coat on internal and external new plaster, concrete and brickwork. High cover, maximum obliteration and quick drying features facilitate overcoating within one hour.

18. DEKRO HYDROBOND 44 (ANTI-RUST METAL PRIMER)

Interior Exterior

A water-based anti-corrosive and rust-inhibiting coating. It provides excellent protection for iron and other metal surfaces in a corrosive/industrial environment. It's non toxic, non-irritant, quick drying, lead and chromate free with excellent top coat adhesion

19. DEKRO HYDROMET RUST CONVERTION Interior Exterior

Hydromet is unique insofar that an acid emulsion together with tannic acid has been combined so that conversion of the rust forms a protective coating which gives a good measure of protection for further corrosion and serves as a base for subsequent coats of paints. Good barrier properties; i.e. very low water vapour and oxygen permeability.



Product Description

C. SOLVENT-BASED TOPCOATS

20. DEKRO SUPER HIGH GLOSS ENAMEL Interior Exterior

A top quality high gloss alkyd enamel with excellent gloss, hardness and durability. Suitable for interior and exterior use on a variety of substrates in conjunction with appropriate primers and undercoats.

21. DEKRO URESHEEN (POLYURETHANE ENAMEL) Interior Exterior

A high quality, non-drip, silky sheen enamel. Suitable for finishing kitchen cupboards, furniture, toys, etc. Possesses remarkable flow and uniform sheen which makes it most suitable for kitchen and bathroom ceilings and walls, etc.

22. DEKRO EGGHELL ENAMEL Interior Exterior

A high quality alkyd enamel designed to give hard-wearing abrasion-resistant properties. Pleasant sheen finish with excellent washability.

23. DEKROLITE MASONRY PAINT Interior Exterior

An outstanding matt coating based on a solvent-based modified acrylic, to give maximum alkali resistance, water vapour permeability and moisture repellency properties. May be employed as primer coat or as a self finish.

24. DEKRO ADTHANE POLYURETHANE ENAMEL Interior Exterior

A high gloss aliphatic polyurethane coating which dries to a tile-like finish with a mirror gloss. It is noted for its excellent durability, non yellowing properties and gloss retention.

Normally recommended for painting of boats, aircraft, vehicles and various appliances. It is recoatable with itself at any stage of its life subject to normal preparation

25. DEKRO POLYURETHANE FLOOR COAT Interior Exterior

A ready to use quick drying, glossy enamel designed for application to various substrates (new and old), based on an urethane alkyd binder. It is hard wearing and easy to clean and also prevents disintegration on cement-based floors.

26. DEKRO STOEP PAINT Interior Exterior

An air drying hard-wearing glossy floor paint designed for application to various substrates (new and old), based on an alkali resisting oleo resinous binder.



Product Description

27. DEKRO WALKSAFE Interior Exterior

A twin pack polyurethane floor coating which is extremely tough and non-slip, even in cold and wet conditions. Excellent adhesion to most substrates including concrete, wood, primed metal and fibreglass. Excellent gloss retention, chemical and abrasion resistant.

28. DEKROGLOSS ENAMEL Interior Exterior

A high quality gloss enamel for interior and exterior use. Hard-wearing with durable glossy sheen.

D. SOLVENT-BASED PRIMERS AND UNDERCOATS

29. DEKRO UNIVERSAL UNDERCOAT Interior Exterior

A top quality alkyd-based undercoat for all interior and exterior primed metal, wood, plaster and various types of composition board. Recommended as an undercoat for High Gloss Enamel, Eggshell Enamel and Dekrogloss Enamel.

30. DEKRO ALKALI RESISTING PLASTER PRIMER Interior Exterior

A quick drying alkyd-based primer/sealer for all new interior and exterior porous surfaces such as asbestos cement, plaster, brick and cement. Recommended suitable primer for penetrating and sealing porous, alkaline surfaces prior to overcoating with Universal Undercoat and High Gloss Enamel or emulsion paints.

31. DEKRO WOOD PRIMER – PINK / WHITE Interior Exterior

A top quality primer for interior and exterior wood. Provides an excellent primed surface for Universal Undercoat, Eggshell and High Gloss Enamels.

32. DEKROLITE MASONRY PRIMER Interior Exterior

A styrene acrylic copolymer type coating with outstanding filling, bridging, obliteration and water repellent properties. Recommended for application to new and old plaster surfaces and can also be used as a priming coat for other water-based finishes where a high degree of adhesion and alkali resistance is required.

33. DEKRO BONDING LIQUID Interior Exterior

A bonding sealer for porous gypsum plaster and concrete surfaces. Recommended for penetrating and binding chalked but sound PVA or limewash to the original surface prior to the application of subsequent coats of emulsion paint.



Product Description

34. DEKRO SANDING SEALER (R.F.U.) Interior Exterior

A sealer for wood surfaces for the filling of open grain and slight imperfections in timber, fibre boards, panelling and furniture. Gives surfaces a smooth base, after sanding, for overcoating with furniture lacquer and varnishes.

35. DEKRO TWIN PACK WASH PRIMER Interior Exterior

A twin pack vinyl-based primer with superior adhesion to new aluminium, galvanised iron, resin bonded fibreglass and similar types of moulded plastic materials.

36. DEKRO VASBYT SINGLE PACK ETCH PRIMER Interior Exterior

A quick drying single pack vinyl-based primer with excellent adhesion to galvanised iron or other types of metal surfaces.

E. WOOD VARNISHED

37. DEKRO TIMBERTEK Interior Exterior

A single pack silicones alkyd varnish with excellent UV resistance and weather ability.

38. DEKROGUARD Interior Exterior

A water repellent oil-based exterior coating for woodwork. Also contains wood preservatives, has excellent penetrating properties, is extremely flexible and has outstanding weathering properties.

**39. DEKRO POLYURETHANE VARNISH – GLOSSY / EGGSHELL / MATT
Interior Exterior**

A single pack polyurethane varnish based on a polyurethane oil. A quick drying product with superior mar and abrasion resistance.

40. DEKRO SPAR VARNISH Interior Exterior

A high quality varnish containing UV absorbers as an exterior clear coating for natural woodwork. Provides a tough glossy film with waterproofing properties.



Product Description

F. MISCELLANEOUS PRODUCTS

- 41. AQUABLOCK WATER REPELLANT Interior Exterior**
A complex aluminium compound with outstanding waterproofing properties. Normally used as a water repellent coating over absorbent surfaces, i.e. masonry, concrete, stone and bricks, etc. It impregnates and seals porous surfaces.
- 42. DEKRO STANDARD ALUMINIUM Interior Exterior**
A general purpose leafing aluminium paint which dries with a high lustre designed to protect iron, steel, wood and various surfaces. It is heat resistant up to 90°C and highly reflective.
- 43. DEKRO BITUMINOUS ALUMINIUM Interior Exterior**
Bituminous based high lustre aluminium paint for protection of a variety of surfaces, i.e. Old metal roofs, malthoid and creosoted timber.
- 44. DEKRO HEAT RESISTANT ALUMINIUM Interior Exterior**
A quick drying high-lustre heat resistant aluminium. Will withstand temperatures of up to 200°C.
- 45. DEKRO SILICON NO.400 Interior Exterior**
A silicon resin-based aluminium paint which resists temperatures of up to 400°C for long periods. Dries to a tough flexible film and has a bright metallic finish.
- 46. DEKRO BITUMINOUS BLACK Interior Exterior**
A general purpose protective coating for application to metal, asbestos, concrete and masonry surfaces. It is impervious to moisture and most chemicals.
- 47. DEKRO TRAFFIC PAINT (WATER AND SOLVENT-BASED) Interior Exterior**
A quick-drying roadmarking paint with excellent durability.
- 48. DEKRO SUPER PAINT STRIPPER Interior Exterior**
A general purpose, non-flammable paint remover with low wax content. Rinses off with water.
- 49. DEKRO GALV-O-CLEAN Interior Exterior**
A concentrated alkaline detergent solution, designed to remove surface contaminants, oil and grease by its emulsification action prior to rinsing clean with fresh water.
- 50. DEKRO WUNDA CLEAN Interior Exterior**
A water solvent, which will emulsify oil and grease prior to the rinsing off and washing down with fresh water. Also an excellent brush cleaner.



Product Description

51. DEKRO TUFFCOAT ST 85 Interior Exterior

A surface tolerant epoxy coating, designed to protect steel with a minimum amount of surface preparation. It has excellent corrosion and abrasion resistance. Outstanding resistance to salt water, solvents and chemicals.

G. SPECIALISED PRODUCTS – HYGIENE SOLUTIONS

52. HYDROLOCK Interior Exterior

A top quality twin pack, water-based epoxy primer with excellent adhesion to various kinds of substrates. Hydro lock dries quickly and can be over coated Within 1 hour with both water-based and solvent-based coatings.

53. HYDROMETAL PRIMER Interior Exterior

An innovative water borne blend of a metal reactive acrylic-based emulsion, electro chemically active, anti-corrosive and exchange pigments, barrier additive and anti-flash rust agents. The product has a very low hazard profile, is fast drying and has excellent flexibility.

54. HYDROWASH FUNGICIDAL Interior Exterior

Designed to kill active mould, fungal and bacteria spores and chlorophyll containing organisms such as moss, lichen and algae prior to the application of Hygiene Solution Primers and membrane systems. Hydrowash Fungicidal remains active after its initial application guarding against subsequent infection for up to 2 years.

55. AQUABLOCK WATER REPELLANT Interior Exterior

A complex aluminium compound with outstanding waterproofing properties. Normally used as a water repellent coating over absorbent surfaces, i.e. masonry, concrete, stone and bricks, etc. It impregnates and seals porous surfaces.

56. HYDROCLAD Interior Exterior

A self cleaning, highly durable, copolymer-based coating which cures to form a tightly adherent, decorative weatherproof membrane. As a waterborne-system, it is free from strong odour and toxic risk.



Product Description

57. HYDROMED MATT Interior Exterior

A tough and highly durable, plastic based, decorative coating which eliminates the growth of micro-organisms such as: mould, fungal, yeast and bacterial colonies on its surface. It's highly elastic and expands and contracts with thermal and structural movement, obviating cracking and flaking, and it's vapour permeability structure prevents blistering and loss of adhesion on damp surfaces.

58. HYDROMED GLOSS Interior Exterior

A tough, flexible, water-based, modified acrylic coating which provides the ultimate safeguard against the growth of micro organisms such as: bacteria, mould and yeast.

59. MEDIFLEX Interior Exterior

A single-pack, water borne polyurethane-based coating which is designed to enable premises to be occupied as soon as possible after application. Incorporated an effective, non-toxic, anti-microbial system which protects against growth of micro-organisms on its surface. It achieves a dense, glossy finish which is tough, flexible and highly tolerant to abrasives and other harsh cleaning agents.

60. HYDROPLAST SMOOTH Interior Exterior

A high build, water-based, waterproof coating designed to keep long term maintenance costs to an absolute minimum. It contains an active fungi static system which prevents the growth of mould, fungus and algae on its surface. Hydroplast will not embrittle with age or exposure to ultra-violet light, and remains permanently elastometric, tolerating thermal and structural movements without cracking or flaking.

61. FLAMELOCK Interior Exterior

A tough and highly durable water-based copolymer compound which has outstanding resistance to spread off flame. When cured, it is water- and weather proof and an effective vapour barrier.

62. METALDEC PLUS Interior Exterior

A highly advanced waterborne, polyurethane-based coating which is designed for the refurbishment of pre-coated metal cladding.

Product Description

Spreading rates as given below are expressed in square metres per litre and are the actual results obtained on normal plaster surfaces. Full wet coats of the various paints were applied by brush. Hixotropic finishes were applied by stipple roller. These results are practical but depending on the porosity of the substrate, the spreading rates may be lower. Spreading rates are normally equated against a given dry film thickness.

Spreading rates must not be confused with coverage. For costing purposes and quantities it is recommended that relative specifications be consulted to establish the required amount of coats to be applied against the recommended film thicknesses.

* All spreading rates are assessed at a dry film thickness of 25 microns unless otherwise denoted with an asterisk in the case of thixotropic and high build materials.

Dekro Allflex	*	5m ² /l
Dekro Hydrosilk		9m ² /l
Dekro Hydromatt		9m ² /l
Dekro Hydrocide		8m ² /l
Dekro Super Acrylic		8m ² /l
Dekmore Acrylic		8m ² /l
Dekro Super Fibretex		5m ² /l
Dekro Super High Gloss Enamel		10m ² /l
Dekro Uresheen Enamel		8m ² /l
Dekro Eggshell Enamel	*	10m ² /l
Dekrolite Masonry Paint	*	7m ² /l
Dekro Traffic Paint	*	4m ² /l
Dekro Adthane Polyurethane Enamel		9m ² /l
Dekro Fly Repellant		7m ² /l
Dekro Epoxy Enamel		8m ² /l
Dekro Standard Aluminium		15m ² /l
Dekro Bituminous Aluminium		10m ² /l
Dekro Spar Varnish	*	10m ² /l
Dekro High Heat Resistant Aluminium		15m ² /l
Dekro Bituminous Black		8m ² /l
Dekro Allroof Roof Paint		8m ² /l
Dekro Timbertek		8m ² /l
Dekroguard		10m ² /l
Dekro Polyurethane Varnish (Glossy Eggshell or Matt)		10m ² /l
Dekro Stoep Paint		8m ² /l
Dekro Hydroglaze	*	10m ² /l
Dekroseal		8m ² /l
Dekro Hydrofil		6m ² /l
Dekro Alkali Resising Primer		8m ² /l
Dekro Universal Undercoat		10m ² /l
Dekro Zinc Phosphate Alkyd Primer		8m ² /l
Dekro Pink Wood Primer		8m ² /l
Dekro Sanding Sealer		12m ² /l
Dekro Twin Pack Etch Primer		15m ² /l
Dekro Single Pack Etch Primer		12m ² /l
Dekro Water Miscible Epoxy Primer		8m ² /l
Dekro Bonding Liquid		8m ² /l
Dekrogloss Enamel		8m ² /l
Dekrolite Masonry Primer		5m ² /l
Hydrolock		10m ² /l
Dekro Solardek UV Reflecting Roof Paint		8m ² /l
Dekro Walksafe		2m ² /l
Dekro Mediguard (Anti-Bacterial/Fungicidal)		9m ² /l
Dekro Rippletex		2m ² /l



Product Description

Dekro Rainproof	5m ² /l
Dekro Rainproof (Waterproofing System)	2m ² /l
Dekro Hydrobond 44	8m ² /l
Dekro Hydromett Rust Conversion	9m ² /l
Dekro Tuffcoat ST85	5m ² /l
Dekro Silicon No.400	8m ² /l